

KNEO 300 User Manual V1.6.2

(For Regular User)

July 2024

info @ kneron.us

Revision History:

Doc Version	Description	Firmware Version	Author	Date
0.9	Initial version	-		2023/10/23
1.0	Add set-up guide	-		2024/01/08
1.1	Add custom settings	-		2024/01/17
1.2	Add admin user guide	V0.14.1		2024/03/07
1.3	Update product image	V0.14.1		2024/04/03
1.4	Rewrite the guide	V0.15.0		2024/04/15
1.5	Update product interface	V0.16.0	Oscar Law	2024/05/07
1.6.1	Add chat history and company QA	V0.16.1	Oscar Law	2024/06/03
1.6.2	Support automatic startup	V0.16.2	Oscar Law	2024/07/22

Notice:

1. Kneron Co., Ltd may make changes to any information in this document at any time without any prior notice. The information herein is subject to change without notice.

2. THIS DOCUMENT IS PROVIDED “AS IS” WITHOUT ANY WARRANTY OR CONDITION OF ANY KIND, EITHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OR CONDITION WITH RESPECT TO MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON-INFRINGEMENT. KNERON DOES NOT ASSUME ANY RESPONSIBILITY AND LIABILITY FOR ITS USE NOR FOR ANY INFRINGEMENT OF PATENTS OR OTHER RIGHTS OF THE THIRD PARTIES WHICH MAY RESULT FROM ITS USE.

3. Information in this document is provided in connection with Kneron products.

4. All referenced brands, product names, service names, and trademarks in this document are the property by their respective owners.

Contents

KNEO 300 User Manual V1.6.2	1
1. Introduction	4
2. EdgeGPT Server	5
2.1 Product Overview	5
2.2 Accessories List	6
2.3 Power on	6
2.4 WEBUI Interface	7
2.4.1 Session Initialization.....	7
2.4.2 Account Setup	8
2.4.3 User Password Change.....	9
2.4.4 WEBUI Session	10
2.4.5 Free Chat Mode	11
2.4.6 Knowledge Base Mode.....	13
2.4.7 Company Q&A.....	16

1. Introduction

KNEO 300 is an NPU-based edge AI server, especially used to implement LLM applications, supporting 30TOPS AI computing power, equipped with an all-metal casing, fan cooling, and rich peripheral interfaces. Compared with traditional GPU LLM inference, it has the advantages of low cost, low power consumption, and high efficiency, and can be widely used in fields such as enterprise AIGC.

KNEO 300 has built-in Kneron self-developed edge chatbot software, mainly used to answer questions and provide information. Its function is similar to an advanced offline virtual assistant. Here are some of the key features and uses of this chat product:

1. Q&A: Ability to answer various questions covering a wide range of topics such as science, history, culture, technology, etc.
2. Language Understanding: Strong understanding of natural language and the ability to understand and respond to complex and abstract queries.
3. Text generation: In addition to answering questions, you can write articles, create stories, generate creative content, etc.
4. User interaction: Able to have smooth conversations with users and provide helpful answers and suggestions based on database and other information. Wide range of applications: education, customer support, HR, company training, IT support, etc.
5. Privacy and Security: This system adopts offline mode, which greatly protects the security of user information, data, and privacy.

2. EdgeGPT Server

2.1 Product Overview

- KNEO 300 series AI box appearance



Figure 2-1 KNEO 300 Series AI Box

- KNE300 series AI box peripheral interfaces (from left to right)



1. UP : RS232
2. Down : RS485
3. UP : Ethernet (1000mbps)
4. Down : USB3.0x2
5. UP : Ethernet (1000mbps)
6. HDMI 2.0
7. TF Card
8. DC 12V
9. Power button

- Product parameters

CPU	8-core A53, 2.0GHz
NPU	30 TOPS (INT8)
DRAM	16GB LPDDR4
eMMC	64GB
Power	DC12V, AC100-240V, 50-60HZ
Operating System	Ubuntu
Size	210mm*130mm*45mm
Operating Environment	Operating Temperature: -20°C~60°C; Storage Temperature: -20°C~70°C; Operating Humidity: 10%~90%RH;
Ethernet	2*Gigabit Ethernet
USB	2*USB3.0
Connecting Ports	1*RS232
	1*RS485

Table 2-1 KNEO 300 Product Specification

2.2 Accessories List

After receiving the device, check whether the accessories are complete:

- KNEO 300 AI box
- One 12V-5A power adapter
- One HDMI cable
- One Ethernet cable
- A pack of expansion screws

In addition, during use, you also need the following conditions:

- Display
Monitor or TV with HDMI port.
- Network
100M/1000M wired network.

2.3 Power on

- Connect the power cable to the 12V-5A power adapter.
- Connect the device and monitor with an HDMI cable.
- Plug the network cable into UP: Ethernet (1) and connect to the network.
- The device will automatically turn on after being powered on. The monitor will display the IP address (i.e. **10.200.210.227**) on the screen.




Figure 2-2 KNEO 300 IP Address

2.4 WEBUI Interface

2.4.1 Session Initialization

The user starts the web access using the WEBUI interface. For internal intranet access, it first types the IP address (i.e. 10.200.210.227) with port 3000 in the browser, and the web address becomes (10.200.210.227:3000). For external internet access, it types the website domain <domain.com> with port 3000 in the browser, and the website address becomes (<domain.com>:3000)





Figure 2-3 Browser Access

It invokes the WEBUI interface shown in Figure 2-4, the default interface is English, and the user can click the icon  and switch to Chinese.



Account email


Password

LOGIN

Don't have an account? [Sign Up](#)

English ✓
中文繁體

Figure 2-4 WEBUI Login Page

The default WEBUI session is English, the user can click the icon  to switch between Chinese and English.


2.4.2 Account Setup

Account email

Password

LOGIN

Don't have an account? [Sign Up](#)



Copyright © 2024 Kneron Inc.

Figure 2-5 New User Sign Up

For new users, they must sign up with the new user account using the **Sign Up** button during the login. The new user fills up the new account information in the pop-up menu, including the username, e-mail

address, and password. Then, the new user can click the **SIGN UP** button to register the new account. It requires e-mail rather than the username to log in to the KNEO 300. The username is displayed in the lower left-hand corner after the login.


The image shows a registration form for Kneron. At the top is the Kneron logo. Below it is a form with four input fields: 'User name', 'Please enter email', 'Password', and 'Confirm Password'. Each field has a purple icon to its left (person, envelope, key, and checkmark respectively). A purple 'SIGN UP' button is at the bottom of the form. Below the form, there is a link 'Already have an account? Login'. At the very bottom, there is a footer with 'Copyright © 2024 Kneron Inc.' and a small globe icon. A 'Ctrl+M' shortcut is visible on the left side of the footer.

Figure 2-6 New User Registration

2.4.3 User Password Change


The image shows a 'User Setting' dialog box for changing a password. The dialog has a title bar with a close button. Inside, there is a 'RESET PASSWORD' button on the left. To its right are three input fields: 'Old Password', 'New Password', and 'Confirm Password'. A 'SUBMIT' button is at the bottom right of the dialog. The background is a blurred chat interface with the Kneron logo and a 'New Chat' button. In the bottom left corner of the chat interface, the username 'A' is circled in red.


Figure 2-7 User Password Change

The user clicks the bottom left-hand corner username to reset the password, which pops up in the **User Setting** menu. The user enters the old password followed by the new one, then presses the **SUBMIT** button to reset the password.

2.4.4 WEBUI Session



Figure 2-8 WEBUI Session

The user can click the chat history using the top left-hand corner history button to hide/unhide the chat history. The username is shown in the bottom left-hand corner and the user clicks the button  to log out from the system. The user clicks the top right-hand Setting button to go to the setup menu and toggle between different chat modes.




Figure 2-9 WEBUI Setting Menu

2.4.5 Free Chat Mode

Currently, the KNEO 300 supports two chat modes: Free Chat and Knowledge Base, which can be selected using the chat mode button: **FREE CHAT** and **KNOWLEDGE BASE**. Free Chat is the default chat mode, which answers the general inquiry, and the Knowledge Base is the custom database created by the users. The user can switch between Free Chat and Knowledge Base mode using the mode buttons.




Figure 2-10 Free Chat Mode

For the default free chat inquiry, the user enters the inquiry in the **Message Kneron Chatbot** box and hits the green arrow key, then the result is shown in the Dialogue Box. The chat history is displayed under the **New Chat** on the left-hand side. The user stops the chat using the red stop button or cleans the inquiry using the **CLEAR RECORD** button.



Figure 2-11 Chat Session

The user first clicks the chat session to re-invoke the dialogue, which allows the user to edit or download the chat. The user can modify the chat inquiry using the edit button and download the chat session using the download button. The KENO 300 automatically compresses the chat session in JSON format and saves it to the Download directory. Moreover, the user can select the chat session, and then click the **DELETE SESSION** button to delete the chat session. It displays the warning menu and asks the user to confirm removing the chat session from the history.




Figure 2-12 Chat Session Delete

The latest software provides additional control for inquiry results using **Update LLM Params** shown in Figure 2-13. It offers two postprocessing modes: **Top P** and **Greedy**. Top P creates random outputs based on the **[Top P]** sliding bar setting between 0 and 1. The output becomes more random for larger values. **Temperature** controls the diversity of the outputs, whereas a lower temperature produces more conservative and predictable outputs. On the other hand, a higher temperature leads to more diverse and creative outputs. The temperature ranges from 0 to 1. Greedy normally produces the same outputs due to the highest matching probability. Finally, the **Repetition Penalty** controls the output repetition, it will not create the same output with a higher penalty. The penalty is set between 1 and 2.




Figure 2-13 Chat Mode Setting

2.4.6 Knowledge Base Mode




Figure 2-14 Knowledge Base Management

For knowledge base inquiry, the user first presses the **KNOWLEDGE BASE** button to switch to the custom knowledge base mode and creates the custom database using the **MANAGEMENT** button. After pressing the button, the management pop-up menu shows up. The user enters the database name <database> in the **Knowledge Base List** box (i.e. bda602), then clicks the **UPLOAD** button and uploads the files in the **Drop files** box with the **UPLOAD FILES** button. KNEO 300 supports multiple file formats .txt (text), .pdf (portable document format), .docx (Microsoft Words), .csv (Microsoft Excel) .md (markdown-formatted text), and .zip (compressed file): The file name must not contain any special characters (i.e. (), {}, [] etc.). It takes a few minutes or more to upload the file depending on the file size. The user can create the database under the user directories only.




Figure 2-15 Custom Base Creation

After the custom database is created, it clicks the top right-hand corner cross symbol and returns to the knowledge base inquiry page. The custom database name is shown in the Knowledge Base List box and the database content is displayed in the **Files in the Knowledge Base** box. The user can choose different databases in the **Files in the Knowledge Base** box for inquiry, then, type in the prompt in the Message Kneron Chatbot. The administrator can increase the matching results using the **Matched Count: [n]** sliding bar where n is 1, 2, 3 to access more matching results.




Figure 2-16 Custom Database Inquiry

The pop-up menu offers two additional functions: merge and delete. To merge two databases, it first clicks the **MERGE** button, a new pop-up menu shows how to merge from one database to another.




Figure 2-17 Merge Custom Database

To delete the files or databases, it clicks the **DELETE** button, the administrator can highlight single/multiple files to delete using the **DELETE SELECTED FILES** button. If there are no highlighted files, it deletes the entire custom database using the **DELETE KNOWLEDGE BASE** button and removes the custom database from the file system.




Figure 2-18 Delete Single/Multiple Files or Custom Database

2.4.7 Company Q&A

	A	B
1	Questions	Answers
2	Who is the first American president?	George Washington
3	Who is the longest British ruler?	Queen Elizabeth II
4	When is the Boston tea party?	December 16, 1773.
5	Which countries are the axis in the World War 2?	Germany, Italy and Japan
6	Who first landed on the moon?	Neil Armstrong
7	Why the first industrial revolution was so important?	The First Industrial Revolution (1760-1840) revolutionized manufacturing, transportation, and communication, laying the groundwork for modern industrial society.
8	What is the nobel prize ?	The Nobel Prize is a prestigious international award recognizing outstanding contributions in Physics, Chemistry, Medicine, Literature, Peace, and Economic
9	Who is the first black American president?	Barack Obama
10	What were the four important inventions in the ancient China?	Paper, Printing, Gun Powder, and the Compass
11	What was the most famous Pyramid?	The Great Pyramid of Giza, also known as the Pyramid of Khufu

Figure 2-19 Company Q&A Spreadsheet

Currently, KNEO 300 offers the conventional one-to-one chatbot feature to set the questions with predefined answers shown in Figure 2-19. The user **MUST** consult with the administrator whether the Company Q&A option is turned on or not. If the option is turned on, the user can enter the questions in the Dialogue box and the system returns the predefined answer without the information source. If the system can't find the answers in the Company Q&A, it searches the knowledge base to answer the questions. If the system can't find the answers in Company Q&A and knowledge base, it shows the message "Company Q&A not match. Please provide a more detailed description."




Figure 2-20 Company Q&A Inquiry

